



European
Commission

EIRA local workshop – Ministry of Finance (Finland)

16th October 2019

Dr. Raul M. Abril

EUROPEAN COMMISSION

Directorate-General for Informatics (DIGIT)

EIRA© and CarTool© deployment



Disclaimer



The information and views set out in this presentation are those of the author(s) and do not necessarily reflect the official opinion of the Commission. The Commission does not guarantee the accuracy of the data included in this presentation. Neither the Commission nor any person acting on the Commission's behalf may be held responsible for the use which may be made of the information contained therein.

© European Union, 2019

EIRA workshop

16th October - Agenda



1) 08:30 – 09:00 Welcome coffee

2) 09:00 – 09:20 Workshop opening

- Workshop opening
- Introduction of National Goals in Finland

3) 09:20– 09:50 EIRA/CarTool Introduction

- Overview of the EIRA© and Archi/CarTool©

4) 09:50 – 10:20 EIRA/CarTool use case for Finnish Public Administration (Part 1)

- Presentation of the addressed Use Case: “Document the Ecosystem of Digital Death Detailed-level Interoperability Requirements SAT”

BREAK (15 minutes)

5) 10:35 – 12:00 EIRA/CarTool use case for Finnish Public Administration (Part 2)

- Technical interactive session: consolidation and validation of the modelled solution with Archi© - Focus on Legal and Organizational views
- Q&A

LUNCH (1 hour)



6) 13:00 – 14:00 EIRA/CarTool use case for Finnish Public Administration (Part 3)

- Technical interactive session: consolidation and validation of the modelled solution with Archi© - Focus on Semantic view
- Q&A

7) 13:00 – 14:00 EIRA/CarTool use case for Finnish Public Administration (Part 4)

- Technical interactive session: consolidation and validation of the modelled solution with Archi© - Focus on Technical and Infrastructure view
- Q&A

COFFEE BREAK (15 minutes)

8) 15:15 – 15:45 CarTool v3.0.0 hands-on session


- Hands-on session: how to use the new CarTool release in practice

9) 15:45 – 16:30 Wrap-up

- Wrap-up on the implemented use case
- Q&A

Section 1: **Workshop opening**

Section 2: **EIRA/CarTool Introduction**



http://eur-lex.europa.eu/resource.html?uri=cellar:2c2f2554-0faf-11e7-8a35-01aa75ed71a1.0017.02/DOC_1&format=PDF
http://eur-lex.europa.eu/resource.html?uri=cellar:2c2f2554-0faf-11e7-8a35-01aa75ed71a1.0017.02/DOC_2&format=PDF
http://eur-lex.europa.eu/resource.html?uri=cellar:2c2f2554-0faf-11e7-8a35-01aa75ed71a1.0017.02/DOC_3&format=PDF


Example of European Public Service



Sector/Area	Service
Business development (A2B, A2A)	Start-up of a company Public procurement Registration of patents, trademarks, designs Consumer protection, labelling, packaging
Certificates and licenses (A2C)	Birth and marriage certificates Driving licences Passports, visas Residence and working permits Car registration
Education (A2C)	Enrolment in schools and universities Study grants
Taxes for citizens (A2C)	Online Tax

Sector/Area	Service
Social security (A2C)	Information service for social security systems Unemployment benefits Child allowances Pensions Public health insurance
Supply of statistical data (A2B, A2A)	Tax for businesses VAT refunding Information on tax incentives Declaration of excise goods
Work (A2C)	Recognition of qualifications and diplomas Job search
Customs (A2C, A2B, A2A)	Information on Customs duties Customs declarations

The IOP challenge: lost landscapes of agents




A: Public Administration (local, regional, national, European); B: Business; C: Citizen

Business case for IOP in e-Government



IOP is a mean to eliminate barriers in business information exchange (it is not the goal)

H1: "There is a negative correlation between IOP and barriers to business information exchange"




Business case for IOP in e-Government



IOP is the independent variable [of performance/economic cost variables]



H2: "There is a positive correlation between IOP and [**performance variable**] (i.e. # requests/hr) of public service delivery to public administrations citizens and businesses"

H3: "There is a negative correlation between IOP and [**economic cost variable**] (i.e. # rejection cost) of public service delivery for public administrations, businesses and citizens"





The revised EIF Conceptual Model




ASSESSING EIF CONFORMANCE IN PUBLIC SERVICE




ASSESSING EIF CONFORMANCE IN SW COMPONENT



ASSESSING STANDARDS



EIRA supports EIF implementation (*)



<https://www.youtube.com/watch?v=RWhoy3iIYEA>

<https://joinup.ec.europa.eu/collection/european-interoperability-reference-architecture-eira/about>

(*) DECISION (EU) 2015/2240 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

SOLUTION/PS IOP DASHBOARD





(art 3) "... The ISA²programme shall support and promote:

*f) the mapping and analysis of the overall interoperability landscape in the Union **through the establishment, maintenance and improvement of the EIRA and the EIC as instruments to facilitate the re-use of existing interoperability solutions and to identify the areas where such solutions are still lacking;***

(g) the maintenance, updating, promotion and monitoring of the implementation of the EIS, the EIF and the EIRA "

(*) DECISION (EU) 2015/2240 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 25 November 2015







- ✓ **Architecture content metamodel**
- ✓ Defining the most salient **architectural building blocks (ABBs)** needed **to build interoperable solutions** supporting public services
- ✓ Each **ABB models** a decoupled functionality
- ✓ Result of a **collaborative effort of MS**
- ✓ As any RA
 - Has a focus: **Interoperability**
 - Has an Reference Model/Ontology: **ArchiMate ©**
 - Has an Architecture Style: **SOA**

Digital public services - Current landscape



where interoperability scores high ...



...digital public services score high



NORA

Nederlandse Overheid
Referentie Architectuur



DIGITALISERINGSSTYRELSEN



RIIGI INFOSÜSTEEMI AMET

BO DG Digitale Transformatie
FOD Beleid en Ondersteuning
SA DG Transformation digitale
SPF Stratégie et Appui

difi Direktoratet for
forvaltning og IKT

 **AgID** Agenzia per
l'Italia Digitale

 **MYNDIGHETEN FÖR
DIGITAL FÖRVALTNING**
Agency for Digital Government

EIRA v3.0.0 High-Level viewpoint



European







ABB salient for the interoperability

Public service interoperable




Interoperability saliency in an ABB means

- ✓ The ABB is a [key] interoperability enabler because [...]


and/or

- ✓ The ABB is salient for [legal | org | semantic | tech] interoperability because [...]

Presentation of the European Interoperability Framework (EIF)



Detailed view of the EIF structure



EIF

Framework and principles



Legal
Interoperability



Organisational
Interoperability



Semantic
Interoperability




Technical
Interoperability

Integrated
Public Service Governance

EIRA© v3.0.0

Implementation guidelines and specifications





The European Interoperability Reference Architecture (EIRA) is an architecture content metamodel defining the most salient architectural building blocks (ABBs) needed to build interoperable eGovernment systems. The EIRA provides a common terminology that can be used by people working for public administrations in various architecture and system development tasks.

EIRA use cases

Design

Accelerate the design of systems that support the delivery of interoperable digital public services (across borders and sectors)

Assess

Provide a reference model for comparing existing architectures in different policy domains and thematic areas, to identify focal points for convergence and reuse

Communicate & Share

Help documenting the most salient interoperability elements of complex systems and facilitate the sharing of reusable solutions

Discover & Reuse

Ease the discovery and reuse of interoperability solutions through the TES Cartography using the CarTool

Potential use cases



EIRA 

Cart 



Designing

- ● Design solution architectures
- ● Create portfolio



Assessing

- ● Compare solution architectures
- ● Rationalise portfolio
- ● Manage portfolio



Communicating and Sharing

- ● Support Impact Assessment on ICT
- ● Document interoperability solutions




Discovering and Reusing

- ● Search for interoperability solutions

Value of EIRA from different viewpoint

Target users and their use cases within the EIRA©



What is the CarTool




A solution owner or an service acting on his/her behalf uses the CarTool in any of the use cases. He/She might work on the basis on the documentation on an existing solution



The CarTool is the response of the EC to a request of the MS In order to allow them to document solutions in compliance to EIRA lis an open SW plugin developed for the ARCHI SW

Documentation on a Solution in production




The CarTool supports 1) to design, document and search solutions according to EIRA and 2) to export descriptions of solutions in MEF standard format



Cartography

A cartography is the outcome of mapping/decomposing existing solutions or documenting new ones against a taxonomy (EIRA in our case)


ID	Code	Label	Parent ID	Parent Label	Parent Code	Parent Label	Parent Code	Parent Label
00000000	00000000	Root						
00000001	00000001	Architecture	00000000	Root	00000000	Root	00000000	Root
00000002	00000002	System	00000001	Architecture	00000001	Architecture	00000001	Architecture
00000003	00000003	Component	00000002	System	00000002	System	00000002	System
00000004	00000004	Interface	00000003	Component	00000003	Component	00000003	Component
00000005	00000005	Port	00000004	Interface	00000004	Interface	00000004	Interface
00000006	00000006	Service	00000005	Port	00000005	Port	00000005	Port
00000007	00000007	Resource	00000006	Service	00000006	Service	00000006	Service
00000008	00000008	Capability	00000007	Resource	00000007	Resource	00000007	Resource
00000009	00000009	Requirement	00000008	Capability	00000008	Capability	00000008	Capability
00000010	00000010	Constraint	00000009	Requirement	00000009	Requirement	00000009	Requirement
00000011	00000011	Policy	00000010	Constraint	00000010	Constraint	00000010	Constraint
00000012	00000012	Role	00000011	Policy	00000011	Policy	00000011	Policy
00000013	00000013	Actor	00000012	Role	00000012	Role	00000012	Role
00000014	00000014	Interaction	00000013	Actor	00000013	Actor	00000013	Actor
00000015	00000015	Use Case	00000014	Interaction	00000014	Interaction	00000014	Interaction
00000016	00000016	Flow	00000015	Use Case	00000015	Use Case	00000015	Use Case
00000017	00000017	Diagram	00000016	Flow	00000016	Flow	00000016	Flow
00000018	00000018	Model	00000017	Diagram	00000017	Diagram	00000017	Diagram
00000019	00000019	View	00000018	Model	00000018	Model	00000018	Model
00000020	00000020	Diagram	00000019	View	00000019	View	00000019	View
00000021	00000021	Diagram	00000020	Diagram	00000020	Diagram	00000020	Diagram
00000022	00000022	Diagram	00000021	Diagram	00000021	Diagram	00000021	Diagram
00000023	00000023	Diagram	00000022	Diagram	00000022	Diagram	00000022	Diagram
00000024	00000024	Diagram	00000023	Diagram	00000023	Diagram	00000023	Diagram
00000025	00000025	Diagram	00000024	Diagram	00000024	Diagram	00000024	Diagram
00000026	00000026	Diagram	00000025	Diagram	00000025	Diagram	00000025	Diagram
00000027	00000027	Diagram	00000026	Diagram	00000026	Diagram	00000026	Diagram
00000028	00000028	Diagram	00000027	Diagram	00000027	Diagram	00000027	Diagram
00000029	00000029	Diagram	00000028	Diagram	00000028	Diagram	00000028	Diagram
00000030	00000030	Diagram	00000029	Diagram	00000029	Diagram	00000029	Diagram
00000031	00000031	Diagram	00000030	Diagram	00000030	Diagram	00000030	Diagram
00000032	00000032	Diagram	00000031	Diagram	00000031	Diagram	00000031	Diagram
00000033	00000033	Diagram	00000032	Diagram	00000032	Diagram	00000032	Diagram
00000034	00000034	Diagram	00000033	Diagram	00000033	Diagram	00000033	Diagram
00000035	00000035	Diagram	00000034	Diagram	00000034	Diagram	00000034	Diagram
00000036	00000036	Diagram	00000035	Diagram	00000035	Diagram	00000035	Diagram
00000037	00000037	Diagram	00000036	Diagram	00000036	Diagram	00000036	Diagram
00000038	00000038	Diagram	00000037	Diagram	00000037	Diagram	00000037	Diagram
00000039	00000039	Diagram	00000038	Diagram	00000038	Diagram	00000038	Diagram
00000040	00000040	Diagram	00000039	Diagram	00000039	Diagram	00000039	Diagram
00000041	00000041	Diagram	00000040	Diagram	00000040	Diagram	00000040	Diagram
00000042	00000042	Diagram	00000041	Diagram	00000041	Diagram	00000041	Diagram
00000043	00000043	Diagram	00000042	Diagram	00000042	Diagram	00000042	Diagram
00000044	00000044	Diagram	00000043	Diagram	00000043	Diagram	00000043	Diagram
00000045	00000045	Diagram	00000044	Diagram	00000044	Diagram	00000044	Diagram
00000046	00000046	Diagram	00000045	Diagram	00000045	Diagram	00000045	Diagram
00000047	00000047	Diagram	00000046	Diagram	00000046	Diagram	00000046	Diagram
00000048	00000048	Diagram	00000047	Diagram	00000047	Diagram	00000047	Diagram
00000049	00000049	Diagram	00000048	Diagram	00000048	Diagram	00000048	Diagram
00000050	00000050	Diagram	00000049	Diagram	00000049	Diagram	00000049	Diagram
00000051	00000051	Diagram	00000050	Diagram	00000050	Diagram	00000050	Diagram
00000052	00000052	Diagram	00000051	Diagram	00000051	Diagram	00000051	Diagram
00000053	00000053	Diagram	00000052	Diagram	00000052	Diagram	00000052	Diagram
00000054	00000054	Diagram	00000053	Diagram	00000053	Diagram	00000053	Diagram
00000055	00000055	Diagram	00000054	Diagram	00000054	Diagram	00000054	Diagram
00000056	00000056	Diagram	00000055	Diagram	00000055	Diagram	00000055	Diagram
00000057	00000057	Diagram	00000056	Diagram	00000056	Diagram	00000056	Diagram
00000058	00000058	Diagram	00000057	Diagram	00000057	Diagram	00000057	Diagram
00000059	00000059	Diagram	00000058	Diagram	00000058	Diagram	00000058	Diagram
00000060	00000060	Diagram	00000059	Diagram	00000059	Diagram	00000059	Diagram
00000061	00000061	Diagram	00000060	Diagram	00000060	Diagram	00000060	Diagram
00000062	00000062	Diagram	00000061	Diagram	00000061	Diagram	00000061	Diagram
00000063	00000063	Diagram	00000062	Diagram	00000062	Diagram	00000062	Diagram
00000064	00000064	Diagram	00000063	Diagram	00000063	Diagram	00000063	Diagram
00000065	00000065	Diagram	00000064	Diagram	00000064	Diagram	00000064	Diagram
00000066	00000066	Diagram	00000065	Diagram	00000065	Diagram	00000065	Diagram
00000067	00000067	Diagram	00000066	Diagram	00000066	Diagram	00000066	Diagram
00000068	00000068	Diagram	00000067	Diagram	00000067	Diagram	00000067	Diagram
00000069	00000069	Diagram	00000068	Diagram	00000068	Diagram	00000068	Diagram
00000070	00000070	Diagram	00000069	Diagram	00000069	Diagram	00000069	Diagram
00000071	00000071	Diagram	00000070	Diagram	00000070	Diagram	00000070	Diagram
00000072	00000072	Diagram	00000071	Diagram	00000071	Diagram	00000071	Diagram
00000073	00000073	Diagram	00000072	Diagram	00000072	Diagram	00000072	Diagram
00000074	00000074	Diagram	00000073	Diagram	00000073	Diagram	00000073	Diagram
00000075	00000075	Diagram	00000074	Diagram	00000074	Diagram	00000074	Diagram
00000076	00000076	Diagram	00000075	Diagram	00000075	Diagram	00000075	Diagram
00000077	00000077	Diagram	00000076	Diagram	00000076	Diagram	00000076	Diagram
00000078	00000078	Diagram	00000077	Diagram	00000077	Diagram	00000077	Diagram
00000079	00000079	Diagram	00000078	Diagram	00000078	Diagram	00000078	Diagram
00000080	00000080	Diagram	00000079	Diagram	00000079	Diagram	00000079	Diagram
00000081	00000081	Diagram	00000080	Diagram	00000080	Diagram	00000080	Diagram
00000082	00000082	Diagram	00000081	Diagram	00000081	Diagram	00000081	Diagram
00000083	00000083	Diagram	00000082	Diagram	00000082	Diagram	00000082	Diagram
00000084	00000084	Diagram	00000083	Diagram	00000083	Diagram	00000083	Diagram
00000085	00000085	Diagram	00000084	Diagram	00000084	Diagram	00000084	Diagram
00000086	00000086	Diagram	00000085	Diagram	00000085	Diagram	00000085	Diagram
00000087	00000087	Diagram	00000086	Diagram	00000086	Diagram	00000086	Diagram
00000088	00000088	Diagram	00000087	Diagram	00000087	Diagram	00000087	Diagram
00000089	00000089	Diagram	00000088	Diagram	00000088	Diagram	00000088	Diagram
00000090	00000090	Diagram	00000089	Diagram	00000089	Diagram	00000089	Diagram
00000091	00000091	Diagram	00000090	Diagram	00000090	Diagram	00000090	Diagram
00000092	00000092	Diagram	00000091	Diagram	00000091	Diagram	00000091	Diagram
00000093	00000093	Diagram	00000092	Diagram	00000092	Diagram	00000092	Diagram
00000094	00000094	Diagram	00000093	Diagram	00000093	Diagram	00000093	Diagram
00000095	00000095	Diagram	00000094	Diagram	00000094	Diagram	00000094	Diagram
00000096	00000096	Diagram	00000095	Diagram	00000095	Diagram	00000095	Diagram
00000097	00000097	Diagram	00000096	Diagram	00000096	Diagram	00000096	Diagram
00000098	00000098	Diagram	00000097	Diagram	00000097	Diagram	00000097	Diagram
00000099	00000099	Diagram	00000098	Diagram	00000098	Diagram	00000098	Diagram
00000100	00000100	Diagram	00000099	Diagram	00000099	Diagram	00000099	Diagram



The screenshot displays the CarTool interface with several key components highlighted by red boxes and numbered callouts:

- 1:** EIRA v3.0.0 Library structure, including European Interoperability Cartography, EIRA Library of Interoperability Specifications, Solutions, Solution Architecture Templates (SATs), Detailed-level Interoperability Requirements SAT, High-level Interoperability Requirements SAT, My Library, My Cartographies, My Reference Architectures, and TES Library.
- 2:** The main menu bar containing File, Edit, View, Tools, Window, Help, and EIRA.
- 3:** The Models tree view, showing a hierarchy under ADNS: Strategy, Business, Application, Technology & Physical, Motivation, Implementation & Migration, Other, Views, and Viewpoints.
- 4:** A text box containing the text: "The interoperability principles are fundamental behavioural aspects to drive interoperability actions. They describe the context in which European public services are designed and implemented. The twelve underlying principles of the EIF are grouped into four categories: 1. Principle setting the context for EU actions on interoperability (No 1); 2. Core interoperability principles (Nos 2 to 5); 3. Principles related to generic user needs and expectations (Nos 6 to 9); 4. Foundation principles for cooperation among public administrations (Nos 10 to 12)." A yellow highlight is present on the first sentence.
- 5:** The Palette tool palette, which contains various icons for creating and editing elements.
- 6:** A diagram titled "Legal interoperability content" showing relationships between "Public Policy Implementation Approach", "Public Policy Cycle", "Public Policy", "Binding Instrument", "Legal Act", "Public Service", "Interoperable European Solution", and "Representation".
- 7:** The Query Items panel, showing "Building Blocks" and "Attributes" sections.
- 8:** The "Link to EIRA" panel, which includes search and navigation icons.

EIRA & CarTool key areas of support




	Design	Assess	Communicate & Share	Discover & Reuse
--	--------	--------	---------------------	------------------

- Providing a controlled vocabulary
- Decoupling functionalities in Architectural Building Blocks
- Facilitating the identification of IOP specifications
- Providing the key Interoperability enablers ABBs
- Accelerating development cycle
- Enabling cartographies
- Promoting discovery/reusability
- Supporting Portfolio Mgmt Decision Making
- Supporting Public Policy formulation

Providing a controlled vocabulary	● ●	● ●	● ●	● ●
Decoupling functionalities in Architectural Building Blocks	● ●	● ●	● ●	● ●
Facilitating the identification of IOP specifications	● ●	● ●	● ●	● ●
Providing the key Interoperability enablers ABBs	● ●	● ●	● ●	● ●
Accelerating development cycle	● ●	○ ○	○ ○	● ●
Enabling cartographies	○ ●	○ ●	○ ●	○ ●
Promoting discovery/reusability	● ●	● ●	● ●	● ●
Supporting Portfolio Mgmt Decision Making	○ ●	○ ●	○ ●	○ ●
Supporting Public Policy formulation	○ ●	○ ●	○ ●	○ ●

How the EIRA© & CarTool© support IoP in e-Government?

Key Interoperability enablers ABBs



How EIRA supports IOP in e-Government?

LOST IOP support



"Public Policy Implementation Approach ABB is influenced by the regulatory state and the delegation of powers"

Example: Focus on the public policy implementation approach of a national PA including references to TOGAF v 9.1

REGULATORY STATE


DETAIL-LEVEL

<p>THE INFORMATIONAL SCENARIO</p> <p>PP IMPLEMENTATION APPROACH: FOCUS ON SEMANTIC INTEROPERABILITY (i.e. data architectures, base registries)</p>	<p>THE STRUCTURAL SCENARIO</p> <p>PP IMPLEMENTATION APPROACH: FOCUS ON TECHNOLOGY INTEROPERABILITY (i.e. interoperability specifications, reusable building blocks, common [back-office] services, networks)</p>
<p>THE GOVERNANCE SCENARIO</p> <p>PP IMPLEMENTATION APPROACH: FOCUS ON ORGANIZATIONAL INTEROPERABILITY (i.e. organizational interoperability agreements, governance structures)</p>	<p>THE SUBSIDIARITY SCENARIO</p> <p>PP IMPLEMENTATION APPROACH: FOCUS ON LEGAL INTEROPERABILITY (i.e. interoperability frameworks, interoperability reference architectures)</p>

CENTRALISED

DELEGATED

DELEGATION OF POWERS



Section 3: EIRA/CarTool use case for Finnish Public Administration

("Document the Ecosystem of Digital Death Detailed-level Interoperability Requirements SAT")

Section 4: CarTool v3.0.0 hands-on session

Section 5: Wrap-up



Questions?



**It's your time:
Please fill the
satisfaction survey**

